Part Number	Description
114EZDF	7-16 DIN Female EZfit® for 1-1/4 in FXL1480 and AVA6-50 cable
114EZDM	7-16 DIN Male EZfit® for 1-1/4 in FXL1480 and AVA6-50 cable
114EZNF	Type N Female EZfit® for 1-1/4 in FXL1480 and AVA6-50 cable
<u>114EZNM</u>	Type N Male EZfit® for 1-1/4 in FXL1480 and AVA6-50 cable
<u>158EZDF</u>	7-16 DIN Female EZfit® for 1-5/8 in FXL-1873 and AVA7-50 cable
<u>158EZDM</u>	7-16 DIN Male EZfit® for 1-5/8 in FXL-1873 and AVA7-50 cable
<u>158EZNF</u>	Type N Female EZfit® for 1-5/8 in FXL-1873 and AVA7-50 cable
<u>158EZNM</u>	Type N Male EZfit® for 1-5/8 in FXL-1873 and AVA7-50 cable
41SP	UHF Male for 1/4 in FSJ1-50A cable
540EZDFV2	7-16 DIN Female EZfit® for 1/2 in FXL-540 cable
540EZDMRV2	7-16 DIN Male Right Angle EZfit® for 1/2 in FXL-540 cable
540EZDMV2	7-16 DIN Male EZfit® for 1/2 in FXL-540 cable
<u>540EZNFV2</u>	Type N Female EZfit® for 1/2 in FXL-540 cable
540EZNMRV2	Type N Male Right Angle EZfit® for 1/2 in FLX-540 cable
<u>540EZNMV2</u>	Type N Male EZfit® for 1/2 in FXL-540 cable
<u>7603985</u>	QMA Bulkhead Female for 0.085 in CF085-50 cable
78EZDF	7-16 DIN Female EZfit® for 7/8 in FXL-780 and AVA5-50 cable
78EZDM	7-16 DIN Male EZfit® for 7/8 in FXL-780 and AVA5-50 cable
78EZNF	Type N Female EZfit® for 7/8 in FXL-780 and AVA5-50 cable
78EZNM	Type N Male EZfit® for 7/8 in FXL-780 and AVA5-50 cable
AL7DF-PS	7-16 DIN Female Positive Stop™ for 1-5/8 in cable
AL7DF-PSA	7-16 DIN Female Positive Stop™ for 1-5/8 in cable
AL7DM-PS	7-16 DIN Male Positive Stop™ for 1-5/8 in cable
AL7DM-PSA	7-16 DIN Male Positive Stop™ for 1-5/8 in cable
<u>AL7E158-PS</u>	1-5/8 in EIA Flange for 1-5/8 in AVA7-50, AL7-50 and LDF7-50 cable
AL7E78-PS	7/8 in EIA Flange Positive Stop™ for 1-5/8 in AVA7-50, AL7-50 and LDF7-50A coaxial cable
AL7E78-PS-DCM	7/8 in EIA Flange Positive Stop™ for 1-5/8 in AVA7-50, AL7-50 and LDF7-50A coaxial cable
AL7NF-PS	Type N Female Positive Stop™ for 1-5/8 in cable
<u>AL7NF-PSA</u>	Type N Female Positive Stop™ for 1-5/8 in cable
AL7NM-PS	Type N Male Positive Stop™ for 1-5/8 in cable
AL7NM-PSA	Type N Male Positive Stop™ for 1-5/8 in cable
CO85ASM	SMA Male for 0.085 in CF085-50 cable
C085ASR	SMA Male Right Angle for 0.085 in CF085-50 cable
C085MCXM	MCX Male for 0.085 in CF085-50 cable
C085MCXR	MCX Male Right Angle for 0.085 in CF085-50 cable
C085NFBH	Type N Female Bulkhead for 0.085 in CF085-50 cable
<u>C085QM</u>	QMA Male for 0.085 in CF085-50 cable
C085QMR	QMA Male Right Angle for 0.085 in CF085-50 cable
C085SFBH	SMA Female Bulkhead for 0.085 in CF085-50 cable
C085SFPM	SMA Female Panel Mount for 0.085 in CF085-50 cable

C141NFPM-10	Type N Female Panel Mount for 0.141 in CF141-50 cable
C141NFPMS	Type N Female Panel Mount for 0.141 in CF141-50 cable
<u>C141NFPMS-1</u>	Type N Female Panel Mount for 0.141 in CF141-50 cable
C141NM-10	Type N Male for 0.141 in CF141-50 cable
<u>C141NR</u>	Type N Male Right Angle for 0.141 in CF141-50 cable
C250DFBH-20	7-16 DIN Female Bulkhead for 1/4 in CF250-50 cable
F1MU	Mini UHF Male for 1/4 in FSJ1-50A cable
F1PNF	Type N Female for 1/4 in FSJ1-50A cable
F1PNF-BHC	Type N Female Bulkhead for 1/4 in FSJ1-50A cable
F1PNM-HF	Type N Male for 1/4 in FSJ1-50A cable
F1PTM-HF	TNC Male for 1/4 in FSJ1-50A cable
F1TBM-C	BNC Male for 1/4 in FSJ1-50A cable
<u>F1TDF</u>	7-16 DIN Female for 1/4 in FSJ1-50A cable
F1TDM-C	7-16 DIN Male for 1/4 in FSJ1-50A cable
F1TNM-HC	Type N Male for 1/4 in FSJ1-50A cable
F1TNR-HC	Type N Male Right Angle for 1/4 in FSJ1-50A cable
F1TQM-HC	QMA Male for 1/4 in FSJ1-50A cable
F1TSF-BH	SMA Female Bulkhead for 1/4 in FSJ1-50A cable
F1TSM-C	SMA Male for 1/4 in FSJ1-50A cable
F1TSM-HF	SMA Male for 1/4 in FSJ1-50A cable
<u>F1TSR</u>	SMA Male Right Angle for 1/4 in FSJ1-50A cable
F1TSR-HF	SMA Male Right Angle for 1/4 in FSJ1-50A cable
F1TTM-C	TNC Male for 1/4 in FSJ1-50A cable
F2PDF-C	7-16 DIN Female for 3/8 in FSJ2-50 cable
F2PDR-C	7-16 DIN Male Right Angle for 3/8 in FSJ2-50 cable
F2PNF-BH	Type N Female Bulkhead for 3/8 in FSJ2-50 cable
F2PNF-C	Type N Female for 3/8 in FSJ2-50 cable
F2TDM-PL	7-16 DIN Male Positive Lock for 3/8 in FSJ2-50 cable
F2TNM-PL	Type N Male Positive Lock for 3/8 in FSJ2-50 cable
F4DR-C	7-16 DIN Male Right Angle for 1/2 in FSJ4-50B cable
F4NR-HC	Type N Male Right Angle for 1/2 in FSJ4-50B cable
F4PDF-BHC	7-16 DIN Female Bulkhead for 1/2 in cable
F4PDF-C	7-16 DIN Female for 1/2 in FSJ4-50B cable
F4PDMV2	7-16 DIN Male for 1/2 in cable
F4PDMV2-C	7-16 DIN Male for 1/2 in FSJ4-50B cable
F4PNF-BH	Type N Female Bulkhead for 1/2 in cable
F4PNF-C	Type N Female for 1/2 in FSJ4-50B cable
F4PNMV2-HC	Type N Male for 1/2 in FSJ4-50B cable
L12PDF	7-16 DIN Female for 2-1/4 in LDF12-50 cable
L12PDM	7-16 DIN Male for 2-1/4 in LDF12-50 cable
L1PNF-BH	Type N Female Bulkhead for 1/4 in LDF1-50 cable

<u>L1PTM</u>	TNC Male for 1/4 in LDF1-50 cable
L1PTR-C	TNC Male Right Angle for 1/4 in LDF1-50 cable
L1TDF-PL	7-16 DIN Female Positive Lock for 1/4 in LDF1-50 cable
L1TDM-PL	7-16 DIN Male Positive Lock for 1/4 in LDF1-50 cable
L1TNF-PL	Type N Female Positive Lock for 1/4 in LDF1-50 cable
L1TNM-PL	Type N Male Positive Lock for 1/4 in LDF1-50 cable
L1TNM-PL-G	Type N Male Positive Lock for 1/4 in LDF1-50 cable
L1TNR-PL	Type N Male Right Angle Positive Lock for 1/4 in LDF1-50 cable
L1TSM-PL	SMA Male Positive Lock for 1/4 in LDF1-50 cable
L2PDR-C	7-16 DIN Male Right Angle for 3/8 in LDF2-50 cable
L2PNF-BH	Type N Female Bulkhead for 3/8 in LDF2-50 cable
L2TDF-PL	7-16 DIN Female Positive Lock for 3/8 in LDF2-50 cable
L2TDM-PL	7-16 DIN Male Positive Lock for 3/8 in LDF2-50 cable
L2TKM-PL	4.1/9.5 Mini-Din Male connector with LDF2-50 cable
<u>L2TNF-PL</u>	Type N Female Positive Lock for 3/8 in LDF2-50 cable
<u>L2TNM-PL</u>	Type N Male Positive Lock for 3/8 in LDF2-50 cable
L2TNR-PL	Type N Male Right Angle Positive Lock for 3/8 in LDF2-50 cable
<u>L2TSM-PL</u>	SMA Male Positive Lock for 3/8 in LDF2-50 cable
<u>L2TTM-PL</u>	TNC Male Positive Lock for 3/8 in LDF2-50 cable
L4.5PDF-RC	7-16 DIN Female RingFlare™ for 5/8 in LDF4.5-50 cable
L4.5PDM-RC	7-16 DIN Male RingFlare™ for 5/8 in LDF4.5-50 cable
L4.5PNF-RC	Type N Female RingFlare™ for 5/8 in LDF4.5-50 cable
L4.5PNM-RC	Type N Male RingFlare™ for 5/8 in LDF4.5-50 cable
L42ENT	TNC Female for 3/8 in LDF2-50 cable
<u>L42P</u>	UHF Male for 3/8 in LDF2-50 cable
<u>L4DR-PS</u>	7-16 DIN Male Right Angle Positive Stop™ for 1/2 in LDF4-50A cable
<u>L4E78-PS</u>	7/8 in EIA Flange Positive Stop™ for 1/2 in LDF4-50A cable
<u>L4NR-PS</u>	Type N Male Right Angle Positive Stop™ for 1/2 in LDF4-50A cable
<u>L4PDF-BHC</u>	7-16 DIN Female Bulkhead for 1/2 in LDF4-50A cable
<u>L4PNF-BH</u>	Type N Female Bulkhead for 1/2 in LDF4-50A cable
<u>L4TDF-PSA</u>	7-16 DIN Female Positive Stop™ for 1/2 in AL4RPV-50, LDF4-50A, HL4RPV-50 cable
<u>L4TDM-PSA</u>	7-16 DIN Male Positive Stop™ for 1/2 in AL4RPV-50, LDF4-50A, HL4RPV-50 cable
<u>L4TNF-PSA</u>	Type N Female Positive Stop™ for 1/2 in AL4RPV-50, LDF4-50A, HL4RPV-50 cable
<u>L4TNM-PSA</u>	Type N Male Positive Stop™ for 1/2 in AL4RPV-50, LDF4-50A, HL4RPV-50 cable
QMA-LOAD	QMA Male
R4PNF	Type N Female Low PIM Positive Stop™ for 1/2 in RCT RADIAX® Radiating cable
R4PNM	Type N Male Low PIM Positive Stop™ for 1/2 in RCT RADIAX® Radiating cable
<u>R5PDF</u>	7-16 DIN Female Low PIM Positive Stop™ for 7/8 in RCT RADIAX® Radiating cable
R5PDM	7-16 DIN Male Low PIM Positive Stop™ for 7/8 in RCT RADIAX® Radiating cable
<u>R5PNF</u>	Type N Female Low PIM Positive Stop™ for 7/8 in RCT RADIAX® Radiating cable
R5PNM	Type N Male Low PIM Positive Stop™ for 7/8 in RCT RADIAX® Radiating cable

R6PDF	7-16 DIN Female Low PIM Positive Stop™ for 1-1/4 in RCT RADIAX® Radiating cable
R6PDM	7-16 DIN Male Low PIM Positive Stop™ for 1-1/4 in RCT RADIAX® Radiating cable
R6PNF	Type N Female Low PIM Positive Stop™ for 1-1/4 in RCT RADIAX® Radiating cable
R6PNM	Type N Male Low PIM Positive Stop™ for 1-1/4 in RCT RADIAX® Radiating cable
R7PDF	7-16 DIN Female Low PIM for 1-5/8 in RCT RADIAX® Radiating cable
R7PDM	7-16 DIN Male Low PIM for 1-5/8 in RCT RADIAX® Radiating cable
R7PNF	Type N Female Low PIM Positive Stop™ for 1-5/8 in RCT RADIAX® Radiating cable
R7PNM	Type N Male Low PIM for 1-5/8 in RCT RADIAX® Radiating cable
SMALL-CAPKIT	Female End Cap Assembly for 4.3-10 series and 4.1-9.5 Din, work torque 5-8N/M.